

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Next List		Bottom	View Cart	

Searching US Patent Collection...

Results of Search in US Patent Collection db for:
(ACLM/"protecting group" ANDNOT "selected from"): 795 patents.
Hits 1 through 50 out of 795


[Next 50 Hits](#)

[Jump To](#)

[Refine Search](#)

ACLM/"protecting group" ANDNOT "selected from"

- | PAT.
NO. | Title |
|------------------------------|--|
| 1 7,232,914 | Sphingomyelin analogues and a process for preparation thereof |
| 2 7,205,335 | Preparation of cis-fused 3,3a,8,12b-tetrahydro-2H-dibenzo[3,4:6,7]cyclohepta[1,2-b]furan derivatives |
| 3 7,199,133 | Derivatives of phenoxy-n-'4-(isothiazolindin-1, 1-dioxid-2yl)phenyll-valerian-acid amide and other compounds as inhibitors of the coagulation factor xa in the treatment of thromboembolic diseases and tumors |
| 4 7,193,031 | Polyalkylene glycol acid additives |
| 5 7,189,879 | Process for the production of 1-hydroxymethyl-1,3,5-triazapentane, trihydrochloride |
| 6 7,183,443 | Process for the preparation of enantiomerically enriched compounds |
| 7 7,183,417 | Simple stereocontrolled synthesis of salinosporamide A |
| 8 7,183,280 | Bicyclic imidazole derivatives, the preparation thereof and their use as pharmaceutical compositions |
| 9 7,179,445 | Cobalamin conjugates useful as imaging and therapeutic agents |
| 10 7,169,951 | Quinazoline derivatives and pharmaceutical applications thereof |
| 11 7,166,696 | Solid phase synthesis supports and methods |
| 12 7,166,418 | Sulfonamide compound, polymer compound, resist material and pattern formation method |
| 13 7,164,029 | Process for the preparation of benzylimidazole derivatives |
| 14 7,157,595 | Degradation of epothilones |
| 15 7,157,454 | Derivatives of n-(arylsulfonyl)beta-aminoacids comprising a substituted aminomethyl group, the preparation method thereof and the pharmaceutical compositions containing same |



- 16 [7,150,856](#) **T** [On-spot selectively activated hydrophobic slide and preparation thereof](#)
- 17 [7,148,030](#) **T** [Bioluminescent protease assay](#)
- 18 [7,145,040](#) **T** [Process for the preparation of amino acids useful in the preparation of peptide receptor modulators](#)
- 19 [7,141,667](#) **T** [3-\(4-piperidiny\)-2,3,4,5-tetrahydro-1,3-benzodiazepin-2\(1H\)-one](#)
- 20 [7,135,587](#) **T** [Urea and urethane derivatives as integrin inhibitors](#)
- 21 [7,122,628](#) **T** [Process for the synthesis of a peptide having a Trp residue](#)
- 22 [7,105,483](#) **T** [Phosphinic pseudopeptide derivatives for the selective inhibition of the C-terminal active site of angiotensin I converting enzyme \(ACE\)](#)
- 23 [7,105,340](#) **T** [On-spot selectively activated hydrophobic slide and preparation thereof](#)
- 24 [7,094,805](#) **T** [Total synthesis of merrilactone A](#)
- 25 [7,091,314](#) **T** [Intermediates and methods for making heptapeptide oxytocin analogues](#)
- 26 [7,091,313](#) **T** [Synthesis of template-fixed beta.-hairpin loop mimetics](#)
- 27 [7,084,285](#) **T** [Photoaffinity-labeled sphingomyelin analogs and processes thereof](#)
- 28 [7,067,508](#) **T** [Diaminedithiol derivatives and radorhenium or radiotechnetium complex thereof; a liver cancer-treating composition comprising the radorhenium complex and lipiodol; and a kit for preparation of the liver cancer-treating composition](#)
- 29 [7,064,199](#) **T** [Process for the manufacture of 3-amino-pyrrolidine derivatives](#)
- 30 [7,060,707](#) **T** [Isoquinoline derivatives](#)
- 31 [7,057,036](#) **T** [Pyrrolothiazine and pyrrolothiazepine compounds having serotonin-2 receptor antagonistic and alpha-1-blocking action](#)
- 32 [7,041,428](#) **T** [Pattern-forming material and method of forming pattern](#)
- 33 [7,038,073](#) **T** [Synthesis of 2-alkyl amino acids](#)
- 34 [7,038,044](#) **T** [Method for preparing 2-\(2-arylmorpholin-2-yl\)ethanol derivatives and intermediates](#)
- 35 [7,038,027](#) **T** [Method of preventing modification of synthetic oligonucleotides](#)
- 36 [7,022,883](#) **T** [Preparation of aryl intermediates](#)
- 37 [7,022,466](#) **T** [Pattern formation method](#)
- 38 [7,015,224](#) **T** [7-Tert-butyl-3-\(2-fluorophenyl\)-6-\(2H-\(1,2,4\)triazol-3-ylmethoxy\)-\(1,2,4\)-riazolo \(4,3b\) pyridazine for the treatment of anxiety and convulsions](#)
- 39 [7,002,036](#) **T** [Synthesis of 2-alkyl amino acids](#)
- 40 [6,982,335](#) **T** [Synthesis of substituted thiazoline carboxylic acids](#)
- 41 [6,972,289](#) **T** [Cell division inhibitor and a production method thereof](#)
- 42 [6,951,940](#) **T** [Piperidine derivatives, process for obtaining them and pharmaceutical compositions containing them](#)
- 43 [6,924,323](#) **T** [Sulfonium salt compound](#)
- 44 [6,921,827](#) **T** [Process for preparing 3-aryl-benzo{b} thiophenes](#)
- 45 [6,914,052](#) **T** [Selective anti-viral nucleoside chain terminators](#)
- 46 [6,911,544](#) **T** [Process for the preparation of \(S,S\)-cis-2-phenyl-3-aminopiperidine](#)
- 47 [6,906,185](#) **T** [Derivatives of 7-deaza -2'-deoxyguanosine-5'-triphosphate, preparation and use thereof](#)
- 48 [6,891,070](#) **T** [Method for the preparation of 2-{2-\[4-\(4-chloro-1,2-diphenylbut-1-enyl\)phenoxy\]ethoxy}ethanol and its isomers](#)
- 49 [6,887,887](#) **T** [Asymmetric synthesis of \(S,S,R\)-\(-\)-actinonin and its analogs and uses therefor](#)
- 50 [6,878,834](#) **T** [14-hydrido-9.beta.-hydroxytetracyclic taxanes](#)

	Next List	Top	View Cart	
Home	Quick	Advanced	Pat Num	Help